



tel. (022) 723-63-26  
fax (022) 723-41-49  
e-mail: [asmet@asmet.com.pl](mailto:asmet@asmet.com.pl)  
<http://www.asmet.com.pl>

tel. (033) 499-02-00  
fax (033) 499-02-01  
e-mail: [bispol@bispol.com.pl](mailto:bispol@bispol.com.pl)  
<http://www.bispol.com.pl>



## Podziałki (skoki) gwintów metrycznych drobnozwojnych Pitch of metric fine thread

Średnica Diameter D	zwykła coarse thread	Podziałka / Pitch P									
		drobna / fine thread									
		4	3	2	1,5	1,25	1	0,75	0,5	0,35	0,25
3	0,5									0,35	
3,5	0,6									0,35	
4	0,7								0,5		
4,5	0,75								0,5		
5	0,8								0,5		
6	1							0,75			
7	1							0,75			
8	1,25						1	0,75			
10	1,5					1,25	1	0,75			
12	1,75				1,5	1,25	1				
14	2				1,5	1,25	1				
16	2				1,5		1				
18	2,5			2	1,5		1				
20	2,5			2	1,5		1				
22	2,5			2	1,5		1				
24	3			2	1,5		1				
27	3			2	1,5		1				
30	3,5		(3)	2	1,5		1				
33	3,5		(3)	2	1,5						
36	4		3	2	1,5						
39	4		3	2	1,5						
42	4,5	4	3	2	1,5						
45	4,5	4	3	2	1,5						
48	5	4	3	2	1,5						
52	5	4	3	2	1,5						
56	5,5	4	3	2	1,5						
60	5,5	4	3	2	1,5						
64	6	4	3	2	1,5						